



CHG: LOADED INTO  
WORKMANAGER  
REDREW IN SD  
CHANGED ALL DIMS  
FROM IN/MM TO MM/IN  
ADDED CABLED AND  
ISO VIEWS  
ADDED PLATING  
THICKNESSES  
REMOVED SHEET 2  
ADDED PLATING  
TABLE  
ADDED AS-73392-0060  
EC NO: URF2005-0227  
2004/12/02  
DRW: NITLAHER  
2004/12/02  
CHKD: SSHAH  
2004/12/02  
APPR: JWEENER  
2004/12/02

|            |                             |
|------------|-----------------------------|
| 73366-0301 | GOLD (1 MICROINCHES MIN)    |
| 73366-0300 | NICKEL (70 MICROINCHES MIN) |
| PART NO.   | PLATING                     |

|               |                       |
|---------------|-----------------------|
| AS-73392-0060 | CABLE ASSEMBLY INSTR. |
| SPECIFICATION | DESCRIPTION           |

UNLESS OTHERWISE SPECIFIED DIMS  
ARE MILLIMETERS AND ANGLES ARE DEGREES.  
● 167 ALL OVER.  
● NO CHATTER OR NON-UNIFORM  
SURFACE FINISH ALLOWED.  
● PARTS TO BE FREE OF BURRS  
& SHARP EDGES 0.13(.005) MAX BREAK,  
● EXTERNAL THREADS TO BE ROLLED  
OR SINGLE POINT.  
● DIAMETERS TO BE CONCENTRIC  
WITHIN 0.08(.003) TIR.

|                                   |  |           |                          |  |                          |                        |  |  |  |  |
|-----------------------------------|--|-----------|--------------------------|--|--------------------------|------------------------|--|--|--|--|
| QUALITY SYMBOLS<br><br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |           | DIMENSION STYLE<br>MM/IN |  | SCALE                    | DESIGN UNITS<br>METRIC | THIRD ANGLE PROJECTION   |  |  |  |
|                                   | <table><tr><td>mm</td><td>INCH</td></tr></table>           |           | mm                       | INCH   | DRAWN BY      DATE       |                        | TITLE<br>MCX PLUG, STR, FOR RG316<br>50 OHMS, CRIMP/CRIMP<br>EWR-2672 MCX-PC |  |  |  |
|                                   | mm   | INCH      |                          |  |                          |                        |  |  |  |  |
|                                   |  |           | CLAIRE      2001/04/02   |  |                          |                        |  |  |  |  |
|                                   | 4 PLACES ± --- ± ---                                       |           | CHECKED BY      DATE     |  | MOLEX MOLEX INCORPORATED |                        |  |  |  |  |
|                                   | 3 PLACES ± --- ± ---                                       |           |                          |  |                          |                        |  |  |  |  |
|                                   | 2 PLACES ± --- ± ---                                       |           |                          |  |                          |                        |  |  |  |  |
|                                   | 1 PLACE ± --- ± ---  |           | APPROVED BY      DATE    |  |                          |                        |  |  |  |  |
|                                   | ANGULAR ± 2 °  |           | MATERIAL NO.             |  | DOCUMENT NO.             |                        | SHEET NO.  |  |  |  |
|                                   | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           | SEE TABLE                |  | SD-73366-030             |                        | 1 OF 1   |  |  |  |
|                                   |  | SIZE<br>C |                          | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                          |                        |  |  |  |  |