

ZCKD05

limit switch head ZCKD - without lever spring
return left and or right actuation



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKS XCKL XCKM
Associated lever	ZCKY55 ZCKY43 ZCKY34 ZCKY31 ZCKY39 ZCKY41 ZCKY54 ZCKY33 ZCKY59 ZCKY49 ZCKY81 ZCKY91
Associated body	ZCKM5 ZCKMD39H7 ZCKL6 ZCKM1H7 ZCKMD31 ZCKS5 ZCKL8 ZCKM1H29 ZCKS7 ZCKL8H7 ZCKLD37 ZCKL1 ZCKSD35H29 ZCKMD39 ZCKL7 ZCKM6H7 ZCKM5H29

ZCKM7H29
 ZCKSD31H29
 ZCKLD31
 ZCKLD37H7
 ZCKS8
 ZCKLD39
 ZCKSD39
 ZCKS1
 ZCKMD37H29
 ZCKS9
 ZCKSD37
 ZCKM6H29
 ZCKL5
 ZCKMD37H7
 ZCKS8H29
 ZCKM6
 ZCKSD35
 ZCKMD35H29
 ZCKM5H7
 ZCKM7
 ZCKS2
 ZCKLD35H7
 ZCKS1H29
 ZCKM9H29
 ZCKMD31H29
 ZCKS6
 ZCKS5H29
 ZCKM9
 ZCKL1H7
 ZCKLD39H7
 ZCKS7H29
 ZCKM8H7
 ZCKMD37
 ZCKL7H7
 ZCKS404H29
 ZCKSD37H29
 ZCKLD35
 ZCKM8
 ZCKS2H29
 ZCKM8H29
 ZCKSD31
 ZCKM1
 ZCKL6H7
 ZCKMD31H7
 ZCKMD35
 ZCKSD39H29
 ZCKS9H29
 ZCKS6H29
 ZCKLD31H7
 ZCKM7H7
 ZCKMD35H7
 ZCKMD39H29
 ZCKL5H7

Movement of operating head	Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach 1 or 2 programmable direction

Complementary

Switch actuation	CW and/or CCW From left and/or right
Positive opening	Without With
Head material	Plastic

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1012 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------