

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT — TE Connectivity Ltd.


ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F1	REVISED PER ECO-18-010831	13JUL2018	RS	JO

NOTES:

- 1
- FOR MINI-APPLICATOR-CRIMPING.
- 2
- UNDERCOATING: 1,25µm Ni, SELECTIVE: 0,8µm Au, ZONE 1: 0,5µm MIN. GOLDFLASH.
- 3
- UNDERCOATING: 1,25µm Ni, SELECTIVE: 0,8µm Au, REMAINDER: GOLDFLASH.
- 4
- UNDERCOATING: 1,25µm Ni, SELECTIVE: 0,4µm Au, NO GOLDFLASH.
- 5
- ~~ZONE 1: BRIGHT TIN/LEAD PLATED.~~
- 6
- MATERIAL: PHOSPHORBRONZE
- 7
- FOR STANDARD-APPLICATOR-CRIMPING.
- 8
- FOR REELFED-HANDTOOL-CRIMPING.
- 9
- 24-20 AWG (0,20-0,56 mm²) WITH .055 CRIMPER.
26 AWG (0,12-0,14 mm²) WITH .042 CRIMPER.



GOLD 2	141603-4	5-167300-8	8
GOLD 4	≠	1-167300-6	1
		1-167300-5	7
GOLD 2	141603-4	167300-8	1
		167300-7	7
GOLD 3	141603-3	167300-6	1
		167300-5	7
FINISH	LOOSE PIECE	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN J.v.LIEMPT 03 DEC 98

CHK J.v.LIEMPT -

APVD E.LEIJTENS -

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL

FINISH



TE Connectivity Ltd.

NAME

AMPMODU MOD.4
RECEPTACLE, STRIP

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-167300

SCALE

SHEET

1 OF 1

REV

F1