

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2014

© COPYRIGHT 2014

BY -

ALL RIGHTS RESERVED.

VISTE SOLO PER RIFERIMENTO  
VIEWS ONLY FOR REFERENCE

COLOR CODE STRIP ALLOCATO  
IN QUESTA AREA DEL COVER  
(COLOR CODE STRIP)  
(LOCATED ON THE COVER AS SHOWN)

23.6

14 MAX.

24.5<sup>+0</sup><sub>-0.3</sub>

2.5

5.5

1.5<sup>+0.1</sup><sub>-0.3</sub>

2.5

22.7

1.5 REF.

30.4

19.2<sup>±0.2</sup>

3.0

9.0

0.8<sup>±0.2</sup>

1.5<sup>+0</sup><sub>-0.3</sub>

9.2<sup>+0</sup><sub>-0.2</sub>

SEZ. A-A

CONNETTORE COMPLETO DI CAVO  
(TERMINATED CONNECTOR)

24.5 MAX.

7.8<sup>+0.1</sup><sub>-0.2</sub>

W

QUOTA DI ARRESTO SULLA DIMA  
(STOP ON COUNTERPART)

ALTEZZA DELLA POLARIZZAZIONE  
(POLARIZATION HEIGHT)

ALETTE DI POLARIZZAZIONE A FILO BLOCCETTO  
(VEDERE FOGLIO 2/2)  
(POLARIZATION RIBS AT THE END OF CONNECTOR)  
(SEE SHEET 2 OF 2)

2.45 REF.

5.0 PASSO  
(PITCH)

2.45 REF.

A

B

2.5 REF.

0.75 REF.

±0.2

6.5

0.75<sup>+0</sup><sub>-0.2</sub>

1.4

±0.2

AMP

1

2

11

12

13

4

7

3

2.5

0.1

0.2

0.6

4.1

0.5

1.2<sup>±0.2</sup>

60°

-X-

0.3

DETTAGLIO B  
(DETAIL B)

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D11	ECR-17-008698	16JUN2017	IZ	RR
	D13	ECR-17-016290	14NOV2017	RS	DC
	D14	REVISED PER ECR-17-018373	21DEC2017	AL	RR
	D15	REVISED PER ECR-18-007068	11MAY2018	BDA	MD

1

NUMERI DI IDENTIFICAZIONE CAVITA'.  
(CIRCUIT IDENTIFICATION)

2

MARCHIO DI FABBRICA(LIBERA POSIZIONE).  
(AMP LOGO FREE POSITION)

3

L'AGGANCIO PER LINGUETTA E' POSIZIONATO SOLO NELLA  
CAVITA' No.1 ED E' RICHIESTA SOLO SUI CONNETTORI  
A 2 E 3 POSIZIONI  
(RETENTION TOOTH IS REQUESTED FOR THE 2 AND 3 POS. ONLY;  
IT IS LOCATED ON THE CAVITY No.1 ONLY)

4

GEOMETRIA ALTERNATIVA DEL DENTINO DI AGGANCIO.  
VEDI NOTA 3 PER ALTRI DETTAGLI  
ALTERNATIVE SHAPE FOR RETENTION THOOTH.  
SEE NOTE 3 FOR ADDITIONAL DETAILS.

5

PER QUESTI P-N LA POLARIZZAZIONE POSTERIORE DEVE  
INTENDERSI COMPLETA, A FINE BLOCCETTO.  
(per la rappresentazione vedere foglio 1/2)  
(FOR THE INDICATE P.N.'S THE POLARIZATION MUST BE  
AT THE END OF CONNECTOR)(see sheet 1 of 2).

6

**- PART NUMBER NON IN PRODUZIONE  
(P/N. NOT YET RELEASED FOR PRODUCTION)**

7

DIVENTA 6.5 PER LA CAVITA' N.RO 1 SOLO SUI CONNETTORI  
A 2,3 VIE.  
(BECOMES 6.5. FOR THE CAVITY NR.1 ON THE 2,3 POS. ONLY.)

9

PRODOTTO IDONEO SINO A 7A MAX, IN ACCORDO ALLA  
SPECIFICA DI PRODOTTO 108-20215  
PRODUCT SUITABLE UP TO 7A MAX, ACCORDING TO  
PRODUCT SPEC. 108-20215

10

STATO DI FORNITURA: CONFEZIONAMENTO IN "VASSOI + SCATOLA"  
(PACKAGING: " ON TRAY PLUS CARTON BOX"

PASSO 11.4-12.4  
(PITCH)

11

CONFEZIONAMENTO 1:N BOBINA OBSOLETO  
(PACKAGING: "ON REEL" OBSOLETE)

12

OBSOLETE PARTS: OBSOLETE STREAMLINING PER D. RENAUD/ D. SINIS

13

PRELIMINARY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN COLOMBO 07MAY99

CHK C. TARTARI 07MAY99

APVD G. TURCO 07MAY99

PRODUCT SPEC 108-20215

APPLICATION SPEC 114-20016

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:  
mm

MATERIAL  
SEE TABLE

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:  
0 PLC ±  
1 PLC ±  
2 PLC ±  
3 PLC ±  
4 PLC ±  
ANGLES ±2°  
FINISH

0.3

SEE TABLE

NAME  
AMP MONO-SHAPE L.I.F  
TAB CONNECTORS 2-10 POS

SIZE  
A2

CAGE CODE  
0779

DRAWING NO  
C=284338

RESTRICTED TO

SCALE  
-

SHEET  
1

OF  
4

REV  
D15

1471-9 (3/13)





4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2014

© COPYRIGHT 2014

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SPECIAL VERSION WITH NATURAL COLORED RESIN

No. OF POS	CONFIGURATION (View from top side)	ON TRAY PACKAGING VERSION	SIMILAR PN WITH SAME POLARIZATION	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICATION POSITION (FRONT SIDE)	+0.2 L -0.3 (mm)	NOTE STRIP COLOUR	RAST 5 OBTAINABLE CODE
2		5-2301868-3	1-284338-1	2S	1-2	-	9.9	GREY	02-C
2		5-2301868-4	1-284338-4	1D 2S	1-2	-	9.9	GREY	02-A
5		5-2301868-5	293141-2	1S 5D	-	3D	24.9	GREY	-
7		5-2301868-0	293143-1	4D 6D	-	6S	34.9	GREY	-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±2°

FINISH

DWN

COLOMBO

07MAY99

CHK

C. TARTARI

07MAY99

APVD

G. TURCO

07MAY99

PRODUCT SPEC

108-20215

APPLICATION SPEC

114-20016

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

AMP MONO-SHAPE L.I.F  
TAB CONNECTORS 2-10 POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A260779

C=284338

SCALE

-

SHEET

4 OF 4

REV

D15

1471-9 (3/13)