

ZCE016

LIMIT SWITCH HEAD SPRING RETURN FOR ACTUATION



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Rotary head
Product compatibility	XCMD XCKD XCKP XCKT
Associated lever	ZCY46 ZCY22 ZCY69 ZCY25 ZCY54 ZCY17 ZCY91 ZCY49 ZCY45 ZCY81 ZCY48 ZCY53 ZCY44 ZCY55 ZCY18 ZCY15 ZCY39 ZCY12 ZCY59 ZCY16 ZCY23 ZCY26 ZCY19
Associated body	ZCMD21C12 ZCT21G11 ZCMD29C12 ZCT21P16 ZCMD25L5 ZCD26 ZCMD37L2 ZCMD81L2 ZCMD41L5 ZCMD21L2

ZCT25N12
 ZCMD21L08U78
 ZCD39
 ZCP29M12
 ZCP21
 ZCD29M12
 ZCT27G11
 ZCMD69C12
 ZCMD21L1
 ZCMD37L5
 ZCP35
 ZCT26G11
 ZCMD25L2
 ZCMD21L08R12
 ZCMD21M12
 ZCD27
 ZCD21
 ZCP31
 ZCMD29L2
 ZCT26N12
 ZCMD61M12
 ZCT28P16
 ZCMD37L1
 ZCD28
 ZCD35
 ZCP26
 ZCMD25L1
 ZCP21M12
 ZCT28N12
 ZCMD39L2
 ZCMD29L5
 ZCT27N12
 ZCT25P16
 ZCD31
 ZCP39
 ZCT28G11
 ZCD21M12
 ZCMD41L2
 ZCT26P16
 ZCMD61C12
 ZCMD39L5
 ZCMD41L1
 ZCMD21L5
 ZCP27
 ZCP37
 ZCD25
 ZCMD81L5
 ZCP25
 ZCMD39L1
 ZCP29
 ZCT21N12
 ZCMD81L1
 ZCP28
 ZCT25G11
 ZCT27P16
 ZCD29
 ZCMD29L1
 ZCD37

Movement of operating head	Rotary
Type of operator	Roller plunger spring return metal
Type of approach	Lateral approach 2 directions


Complementary

Positive opening	With
------------------	------

Environment

Ambient air temperature for operation	-40...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

RoHS (date code: YYWW)	Compliant  Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold