





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	N10	REVISED PER ECR-18-002509	22FEB2018	BDA	KR

- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 5.59±0.08 [.220±.003] CENTERS.
- 2 SLOT ACCEPTS 0.45–0.64mm [#25–#22] AWG COPPER MAGNET WIRE. TWO WIRES OF THE SAME SIZE PER SLOT EXCEPT 0.64 [#22] AWG WHICH IS ONE WIRE ONLY. OR 0.57–0.72mm [#23–#21] AWG ALUMINUM MAGNET WIRE, SINGLE WIRE ONLY
- 3 POKE-IN ACCEPTS A 0.50–0.90mm [#20–#18] AWG SOLID OR FUSED STRANDED LEAD WIRE.
- 4 MEASURE WHEN FREE STATE IS COMPRESSED TO 2.95 [.116] MAX.
- 5 TIN PLATE.
- 6 FOR SUPPLY WITHIN BRAZIL ONLY.



BRASS	STANDARD	PAPER SPLICE	WITH PAPER	5	63658-9
CU-NI-SI	STANDARD	PAPER SPLICE	WITHOUT PAPER EXCEPT IN SPLICE AREAS	5	63658-8
BRASS	STANDARD	SPLICE FREE	NON RETURNABLE PLASTIC REEL WITH PAPER	UNPLATED	63658-7
BRASS	STANDARD	PAPER SPLICE	PLASTIC REEL WITH PAPER	5 6	63658-6
PHOSPHOR BRONZE	STANDARD	PAPER SPLICE	WITHOUT PAPER EXCEPT IN SPLICE AREAS	5	63658-5
BRASS	STANDARD	SPLICE FREE	PLASTIC REEL WITH PAPER	UNPLATED	63658-4
BRASS	REVERSE	PAPER SPLICE	WITHOUT PAPER EXCEPT IN SPLICE AREAS	5	63658-3
BRASS	STANDARD	SPLICE FREE	PLASTIC REEL WITHOUT PAPER	5	63658-2
BRASS	STANDARD	PAPER SPLICE	WITHOUT PAPER EXCEPT IN SPLICE AREAS	5	63658-1
MATERIAL	REELING DIRECTION	SPLICE	REELING MATERIAL	FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
INCHES

MATERIAL  
SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -  
1 PLC ± -  
2 PLC ± 0.25 [.010]  
3 PLC ± -  
4 PLC ± -  
ANGLES ± -  
FINISH SEE TABLE

DWN 8-10-92  
L.A.MAYER  
CHK 8-11-92  
M.S.FEHER  
APVD 8-11-92  
TL SHUTTER  
PRODUCT SPEC  
108-2012  
APPLICATION SPEC  
114-2046  
WEIGHT  
CUSTOMER DRAWING

TE Connectivity

TERMINAL, POKE-IN  
300 SERIES MAG-MATE  
-

SIZE  
A2  
CAGE CODE  
00779  
DRAWING NO  
C=63658  
SCALE  
10:1  
SHEET  
1 OF 1  
REV  
N10

1471-9 (1/15)