



Pin spacing: 5 mm / 0.197 in.		Pin spacing: 7.5 mm / 0.295 in.	
0.5 ... 1.5 mm <sup>2</sup> 320 V/4 kV/2 17.5 A	20 ... 16 AWG 300 V/2 A	0.5 ... 1.5 mm <sup>2</sup> 630 V/6 kV/2 17.5 A	20 ... 16 AWG 300 V/2 A



$$L = (\text{pole no.} \times \text{pin spacing}) + 1.5 \text{ mm}$$



$$L = (\text{pole no.} - 1) \times \text{pin spacing} + 5 \text{ mm} + 1.5 \text{ mm}$$

Pole No.	Item No.	Pack. Unit	Pole No.	Item No.	Pack. Unit
<b>PCB terminal strip with push-buttons</b>			<b>PCB terminal strip with push-buttons</b>		
<b>1 in-line solder pin/pole, gray</b>			<b>1 in-line solder pin/pole, gray</b>		
2	250-502	400 (4 x 100)	2	250-602	340 (4 x 85)
3	250-503	280 (4 x 70)	3	250-603	200 (4 x 50)
4	250-504	220 (4 x 55)	4	250-604	160 (4 x 40)
5	250-505	180 (4 x 45)	5	250-605	120 (4 x 30)
6	250-506	140 (4 x 35)	6	250-606	100 (4 x 25)
7	250-507	120 (4 x 30)	7	250-607	80 (4 x 20)
8	250-508	100 (4 x 25)	8	250-608	80 (4 x 20)
9	250-509	100 (4 x 25)	9	250-609	60 (4 x 15)
10	250-510	80 (4 x 20)	10	250-610	60 (4 x 15)
11	250-511	80 (4 x 20)	11	250-611	40 (4 x 10)
12	250-512	60 (4 x 15)	12	250-612	40 (4 x 10)
13	250-513	60 (4 x 15)			
14	250-514	60 (4 x 15)			
15	250-515	60 (4 x 15)			
16	250-516	40 (4 x 10)			

PCB terminal strips in other colors are available upon request (depending on quantity required):

● yellow
● red
● blue
○ light gray
● orange
● brown
● light green
○ white

Other pole numbers, direct marking, as well as mixed-color PCB terminal strips are available upon request (depending on quantity required).