




SCDX

This hinged cover seals D-size chassis connectors from water, dust and dirt in unmated condition according to IP42. It is available in different colors.

- SCDX – black (if used with opticalCON, black indicates multi-mode)
- SCDX-5 – green (if used with opticalCON, green indicates single-mode APC)
- SCDX-6 – blue (if used with opticalCON, blue indicates single-mode PC)
- SCDX-9 – white (e.g. walloutlet)



Suitable for:

- XLR D Series female
- XLR D Series male
- 1/4" Jacks D Series
- speakON NL2M* and NL4M*
- powerCON 20 A Series NAC3MPA* and NAC3MPB*
- powerCON TRUE1 NAC3MPX
- USB NAUSB-W*
- HDMI NAHDMI-W*
- D-SUB NADB*

Firewire NA1394-6-W*
etherCON A&B Series
etherCON D Series
etherCON CAT6 Chassis Connectors
BNC D Series
Phono (RCA) Chassis Connectors



Technical Information

Product

Title SCDX

Material

Sealing cover PP-R

Environmental

Flammability UL 94 HB

Temperature range -30° to +80 °C

Ordering Information

Part Number	Description
SCDX-5-GREEN	CHASS. SEALING COVER GREEN
SCDX-6-BLUE	CHASS. SEALING COVER BLUE
SCDX-9-WHITE	CHASS. SEALING COVER WHITE