



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			E3	REVISED PER ECO-14-015436	13OCT2014	NK	MM



 MATERIALS AND FINISH
 HOUSING: PA 6-6, UL 94-V0, COLOR: GREEN.
 CLAMP: BRASS, NICKEL PLATED.
 CONTACT SPRING: PHOSPHOR BRONZE, TIN PLATED.
 CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2 WIRE SIZE RANGE: 12 - 30 AWG.




3 NOT CUMULATIVE TOLERANCE.

4 INK MARKING, COLOR: BLACK.





5 WIRE ENTRY CLOSED

 PRELIMINARY - NOT RELEASED FOR PRODUCTION

7 HOUSING: PA 6-6, UL 94-V0, COLOR:YELLOW



7	6	TIN PLATED	-	15.0	3	3-284046-6
	6	TIN PLATED	SEE SHEET 3	70.0	14	3-284046-5
	6	TIN PLATED	SEE SHEET 3	50.0	10	3-284046-4
	6	TIN PLATED	SEE SHEET 3	90.0	18	3-284046-3
	6	TIN PLATED	SEE SHEET 3	80.0	16	3-284046-2
	TIN PLATED	SEE SHEET 2	15.0	3	3-284046-1	
		SEE SHEET 2	10.0	2	3-284046-0	
	0.00076[.000030] SELECT GOLD	SEE SHEET 2	25.0	5	2-284046-9	
		-	25.0	5	2-284046-8	
	TIN PLATED	SEE SHEET 2	65.0	13	2-284046-7	
		SEE SHEET 2	40.0	8	2-284046-6	
		-	125.0	25	2-284046-5	
		-	120.0	24	2-284046-4	
		-	115.0	23	2-284046-3	
		-	110.0	22	2-284046-2	
		-	150.0	21	2-284046-1	
		-	100.0	20	2-284046-0	
		-	95.0	19	1-284046-9	
		-	90.0	18	1-284046-8	
		-	85.0	17	1-284046-7	
		-	80.0	16	1-284046-6	
		-	75.0	15	1-284046-5	
		-	70.0	14	1-284046-4	
		-	65.0	13	1-284046-3	
		-	60.0	12	1-284046-2	
		-	55.0	11	1-284046-1	
		-	50.0	10	1-284046-0	
		-	45.0	9	284046-9	
		-	40.0	8	284046-8	
		-	35.0	7	284046-7	
		-	30.0	6	284046-6	
		-	25.0	5	284046-5	
		-	20.0	4	284046-4	
		-	15.0	3	284046-3	
		-	10.0	2	284046-2	
		CONTACT FINISH	MARKING	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 05FEB2003 CHK C. RICHARD 05FEB2003 APVD C. RICHARD 05FEB2003		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.30 1 PLC ±0.25 2 PLC ±.125 3 PLC ±.1 4 PLC ±.05 ANGLES ±2°		NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.00mm PITCH	
		PRODUCT SPEC -			
MATERIAL		APPLICATION SPEC -			
		FINISH 		SIZE A200779	
		WEIGHT -		CAGE CODE C=284046	
		CUSTOMER DRAWING		DRAWING NO -	
				RESTRICTED TO -	
				SCALE 4 : 1 SHEET 1 OF 3 REV F3	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

FT

0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1

2

3

4

5

6

7

8

9

10

11

12

14

2-284046-7 AS SHOWN

1

2

3-284046-0 AS SHOWN

R

Y1

W1/0

G

W2

Y2

X2

T

2-284046-6 AS SHOWN

1

2

3

4

5

2-284046-9 AS SHOWN

1

2

3

3-284046-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC±0.30

1 PLC±0.25

2 PLC±0.25

3 PLC±0.25

4 PLC±0.25

ANGLES±2°

FINISH

DWN

05FEB2003

CHK

05FEB2003

APVD

05FEB2003

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.00mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

0779

C-284046

SCALE

4:1

SHEET

2

OF

3

REV

E3

1471-9 (3/11)

