


Oct.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case that the application demands a high level of reliability, such as automotive,  
please contact a company representative for further information.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1	2	DIS-C-000122	Y.Y	T.A	'05.12.2				
2	2	DIS-C-000627	T.K	E.K	07.05.30				



- NOTES
- 1 THREAD PORTION OF REF. No. 9 IS APPLIED WITH PRECOATING TO PREVENT LOOSENESS. HOWEVER, THE ADHESIVE EFFECTIVENESS IS DECREASED WHEN REUSED. THEREFORE, TREAD PORTION IS RECOMMENDED TO COAT WITH LOCTITE 271 MANUFACTURED BY HENKEL JAPAN OR EQUIVALENT.
  - 2 THE RECOMMENDED TIGHTENING TORQUE OF REF. No. 9 TO BE 1 N·m.
  - 3 THE TIP OF REF. No. 11 SHALL BE FIXED TO THE CONCAVE PORTION WITH REF. No. 12 CLAMPED TO THE CABLE. OPPOSITE SIDE DIMENSION OF A HEXAGON SOCKET OF REF. No. 11 IS 1.27mm. AND THE RECOMMENDED TIGHTENING TORQUE OF REF. No. 11 TO BE 0.3 TO BE 0.4 N·m.
  - 4 MANUAL CRIMPING TOOL OF REF. No. 12 : HR10A-TC-02 (THE HOLE DIAMETER FOR CRIMPING: φ 7)
  - 5 ROTATION EXAMPLES OF REF. No. 1 AND 9 ARE SHOWN.
  - 6 OVERPLATING : GOLD 0.2 μm min. UNDERPLATING : NICKEL 2 μm min.
  - 7 REFER TO THE TECHNICAL SPECIFICATION ATAD-C0140 FOR ASSEMBLY PROCEDURE.
  - 8 FOR SECURE CLICK SENSATION WHEN MATING, DO NOT HOLD REF. No. 7. THIS PRODUCT SHALL BE MATED WITH MATING HALF BY HOLDING LINED (ACCORDION) AREA OF REF. No. 10. INSERT THE PLUG UNTIL IT CLICKS. FOR THE WITHDRAWAL, PULL THE CONNECTOR BY HOLDING REF. No. 7.
  - 9 THE CABLE PULL AND TWISTING STRENGTH AND OTHER CHARACTERISTICS MAY DIFFER, DEPENDING ON THE CABLE STRUCTURE. PLEASE CONFIRM BEFORE THE USE.

6	BRASS	NICKEL PLATING	12	BRASS	
5	PHOSPHOR BRONZE	NICKEL PLATING	11	STEEL	NICKEL PLATING M2.6x0.45x2
4	PHOSPHOR BRONZE	6	10	CR	(BLACK)
3	PHOSPHOR BRONZE	6	9	BRASS	NICKEL PLATING
2	PPS	(BLACK) UL94V-0	8	POLYACETAL	(NATURAL)
1	ZINC ALLOY	MATTE FINISH NICKEL PLATING	7	BRASS	MATTE FINISH NICKEL PLATING
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS

CODE NO. (OLD) CL	DRAWN Y.YAMADA '05.11.05	DESIGNED Y.YAMADA '05.11.05	CHECKED A.AKIYAMA '05.11.05	APPROVED M.SATO '05.11.05	RELEASED .
----------------------	--------------------------------	-----------------------------------	-----------------------------------	---------------------------------	---------------

DRAWING NO. EDC3-114766	PART NO. HR25A-9P-20P
SCALE 5 : 1	CODE NO. CL125-0600-2
UNITS mm	1/1

HR

HIROSE ELECTRIC CO., LTD

CL125-0600-2

FORM NO.229