



Oct.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case that the application demands a high level of reliability, such as automotive,  
please contact a company representative for further information.



RECOMMENDED PC BOARD HOLE PATTERN  
(PCB THICKNESS : t=1.6)



PART NO.	CODE NO.	PIN	A	B
A4B- 2PA-2DSA(51)	CL622-0401-8-51	2	4	2
A4B- 3PA-2DS(A51)	CL622-0402-0-51	3	6	4
A4B- 4PA-2DSA(51)	CL622-0403-3-51	4	8	6
A4B- 5PA-2DSA(51)	CL622-0404-6-51	5	10	8
A4B- 6PA-2DSA(51)	CL622-0405-9-51	6	12	10
A4B- 7PA-2DSA(51)	CL622-0406-1-51	7	14	12
A4B- 8PA-2DSA(51)	CL622-0407-4-51	8	16	14
A4B- 9PA-2DSA(51)	CL622-0408-7-51	9	18	16
A4B-10PA-2DSA(51)	CL622-0409-0-51	10	20	18
A4B-12PA-2DSA(51)	CL622-0411-1-51	12	24	22
A4B-13PA-2DSA(51)	CL622-0412-4-51	13	26	24
A4B-14PA-2DSA(51)	CL622-0413-7-51	14	28	26
A4B-15PA-2DSA(51)	CL622-0414-0-51	15	30	28
A4B-16PA-2DSA(51)	CL622-0415-2-51	16	32	30

1		POLYAMIDE		BLACK	UL94V-0	2		BRASS		CONTACT AREA : GOLD FLASH	
NO.		MATERIAL		FINISH , REMARKS		NO.		MATERIAL		DIP AREA : TIN-PLATING 2μm	
UNITS mm				SCALE 5 : 1		COUNT 		DESCRIPTION OF REVISIONS		DESIGNED	
APPROVED : NH. NAKATA		17. 04. 10		DRAWING NO.		EDC-375932-00-00		CHECKED : HT. YAMAGUCHI		17. 04. 10	
DESIGNED : HR. NAGAYASU		17. 04. 10		PART NO.		A4B- * PA-2DSA(51)		DRAWN : HR. NAGAYASU		17. 04. 10	
CODE NO.		CL622				1					